



iPhone 5s Teardown

Written By: Dozuki System



INTRODUCTION

One...Three...G...Three...G again...S!...Four...Four again!...And another S!... Five!...S!...Five?!... C!

Thankfully Apple is in the technology business, not the education business. We can only imagine how jumbled pre-school students' ABCs and 123s would be if they were taught in Cupertino.

Crazy nomenclature aside, we were anxious to bite into this latest piece of phone fruit. So anxious, in fact, that we sent one of our [own](#) to the land down-under to get one.

Join us as we dissect the latest iPhone, *and when you're done do what we did, and* [invalid guide link]

Otherwise, check us out on [Instagram](#) for kooky pictures, [Twitter](#) for quirky quips, [Facebook](#) if you wanna be friends.

[video: https://www.youtube.com/watch?v=TzuRDujwb_A]



TOOLS:

- [Pro Tech Screwdriver Set](#) (1)
- [Suction Handle](#) (1)
- [iOpener](#) (1)
- [Spudger](#) (1)



PARTS:

- [iPhone 5 Liberation Kit](#) (1)

Step 1 — iPhone 5s Teardown



- An iPhone release means a trip to the future—the iFixit teardown crew has traveled 17 hours forward in time to get the iPhone 5s early.
- We want to send out a big thanks to our good friends at [MacFixit Australia](#) for letting us use their office in Melbourne for the teardown. They stock Mac and iPhone upgrades/accessories, and also carry our .
 - To cover all our bases, we confirmed with our best linguists that the 5s upside-down is [still the 5s](#).
- Speaking of toolkits, for this teardown, we'll be using iFixit's brand-new .

Step 2



- As we ready ourselves to delve into the delightful innards of the 5s, let's check out some of its tech specs:
 - Apple A7 processor with 64-bit architecture
 - M7 motion co-processor
 - 16, 32, or 64 GB Storage
 - 4-inch retina display with 326 ppi
 - 8 MP iSight camera (with larger 1.5 μ pixels) and a 1.2MP FaceTime camera.
 - Fingerprint identity sensor built into the home button
- Available in three different colors: space gray, silver, and [gooooooold](#) (or as we call them, Not-at-all-the-Color-of-Space, Second Place Medal, and Bling!).

Step 3




- Apple continues the everlasting trend of locking users out with pentalobular screws. Luckily, we came prepared. We whip out our trusty , and to our pleasant surprise, it works!
- Unfortunately, we are ill-equipped in the color department, as we only have silver and black replacement Phillips screws.
 - *We are currently involved in heavy lobbying to our product designers to create 14k gold replacement screws. They'll be \$50 each and strip the first time you try to unscrew them, so they will be perfect for the iPhone. Stay posted.*
- With our iPhone 5s sufficiently liberated, it reminds us of another [polka-dotted iPhone teardown](#) coming in the near future...

Step 4




- We're done screwing around; it's time to get this baby open! Just like [\[invalid guide link\]](#), we enlist the help of a suction cup to free the display assembly from the rear casing.
- Unlike last year, we make use of some gentle spudgering, just in case...

Step 5



- Our careful spudgering paid off. At the bottom of the phone, a cable connects the Touch ID sensor in the home button to the Lightning port assembly.
⚠ This adds a small element of danger to disassembly, as pulling too hard on the suction cup could cause accidental damage to the cable.
- We survive this first booby trap and swiftly disconnect the Touch ID cable connector with the help of a .
- Alas, our first peek at the internal layout of the 5s. Comparing it to the [invalid guide link], we spot very few differences, the main one being the lack of a battery removal pull-tab.

Step 6




- With our , we remove a few metal connector covers and embark on the epic battle of battery removal.
- The missing battery pull-tab, though seemingly innocuous, indicates a bigger problem for battery repair: glue.
- Perhaps the "s" in 5s stands for "stuck," as in "this battery is stuck in with a lot of glue," or "I hope you didn't want to replace your battery—you're going to be stuck with this one."
- While we'd love a tool-less battery removal as we've seen in [invalid guide link] [invalid guide link], we settle for thermal battery removal via an .
- *Holy adhesive!* It appears Apple ditched the minimal adhesive in the iPhone 5 in favor of those two huge white runways of adhesive holding the 5s(tuck) battery in place.
- **Update:** Lots of folks notified us of the peel-able nature of the adhesive strips. We've acquired more iPhones for the repair guides, and we'll adjust the repair score (if needed) once we investigate the issue!

Step 7



- The 5s has a claimed 10 hours of talk time on 3G, but there are [rumors](#) that iOS 7 isn't doing you any favors.
- The gold unit from [Desay Battery Co., Ltd](#) in Huizhou, China sports a 3.8V - 5.92Wh - 1560 mAh battery. Comparatively:
 - **[invalid guide link]** 3.8 V - 1440 mAh - 5.45 Wh. Talk time: Up to 8 hours on 3G. Standby time: Up to 225 hours.
 - **[invalid guide link]** 3.8 V - 2600 mAh - 9.88 Wh. Talk time: up to 7 hours. Standby time: Up to 300 hours.
 - **[invalid guide link]** 3.8 V - 2200 mAh - 8.4 Wh. 24 hours of "mixed usage."
- ❗ It appears different units sport different battery manufacturers; our "space-gray" spare (right) comes to us from Simplo Technology Inc.

Step 8



- With the battery safely removed, we turn to the next step in our disassembly journey: removing the [invalid guide link] Retina display assembly.
- A few flicks of a spudger to disconnect the FaceTime camera, digitizer, and LCD cables, and the display is free.
- ① Looking for some tech specs on the display? Well look no further! In fact, just look backwards... to the [iPhone 5](#). Despite the trend in almost every other smartphone release, the iPhone 5s display is no bigger, better, or badder than the 5.

Step 9



- We quickly extract the home button and Touch ID, Apple's new fingerprint scanner. Time to dust for prints!
 - A [CMOS](#) chip, the Touch ID is essentially a bunch of very small capacitors that creates an "image" of the ridges on your finger.
- The sensor technology, developed by [AuthenTec](#) and [bought by Apple a year ago](#), [reportedly](#) stores your fingerprints locally, so giving your iPhone the finger will not make it all the way back to Cupertino.
- We worry about how well the sapphire crystal covering the sensor can protect it from [degrading over time](#) like most CMOS fingerprint sensors. If not, it could become a ticking time bomb, just like that super-glued battery.

Step 10




- We uncover the iSight camera.
- The back of the iSight camera is labeled DNL333 41WGRF 4W61W.
- According to our good friend Jim Morrison, Vice President of the Technology Analysis Group at [Chipworks](#), "the DNL markings are consistent with the markings on the camera modules housing the Sony IMX145 we saw in the iPhone 4s and on the iPhone 5. The marks on the side of the module are different, but our industry insiders tell us this is Sony's again."
- ❗ As Apple has stated the pixel pitch on this camera is 1.5 μ , this sensor should not be the IMX145, but a newer variant.
- The bottom of the camera is labeled AW32 65BD 4511 b763.

Step 11




- For those of us counting steps and comparing with last year, we're unsurprisingly [invalid guide link].
- A great example of Apple's iterative design, the 5s shows some streamlining and optimization in its internal construction.
- Gone are those silly [invalid guide link], leaving one less thing to break or get accidentally disconnected.
- ❗ If only they had decided to move that antenna connector from the bottom of the logic board to the top...

Step 12




- Looks like we found a Murata 339S0205 Wi-Fi module (based on the Broadcom [BCM4334](#), according to Chipworks).
- Again comparing our 16 and 64 GB models:
 - It seems that the Murata IC is the same between both iPhone 5s'.
 - The design of both logic boards may be identical, but slight differences in markings (e.g. 94V-0 on the rightmost, nonexistent on the leftmost) may indicate that Apple is manufacturing the 5s logic boards at multiple locations.

Step 13




- Open ses-EMI! Behold, IC treasures identified:
 - SK Hynix H2JTDG8UD3MBR 128 Gb (16 GB) NAND Flash
 - Qualcomm [PM8018](#) RF power management IC
 - TriQuint TQM6M6224
 - Apple 338S1216
 - Broadcom [BCM5976](#) touchscreen controller
 - Texas Instruments 343S0645 touchscreen interface
 - Skyworks 77810

Step 14




- More ICs!
 - Skyworks 77355
 - Avago A790720
 - Avago A7900
 - Apple 338S120L
- A super-awesome thanks to the [Chipworks](#) team for helping us decode and discern these delightful devices!

Step 15




- Turning our attention to the backside of the logic board:
 - Apple A7 APL0698 SoC (based on this [MacRumors post](#), the markings F8164A1PD indicate the RAM is likely 1GB)
 - Qualcomm [MDM9615M](#) LTE Modem
 - Qualcomm [WTR1605L](#) LTE/HSPA+/CDMA2K/TDSCDMA/EDGE/GPS transceiver.
- As we search for a much-anticipated M7 coprocessor, we begin to wonder if it actually is a separate IC, or if it is additional functionality built into the A7.
 - ⓘ Maybe the "M" stands for "magical," the M7 is invisible, and Apple *does* use pixie dust to hold the device together. Or perhaps the "M" stands for "marketing"...
 - **Update:** [the M7 has been found!](#).
- Our A7 was fabbed in July.

Step 16




- It's time to investigate the new kid on the block, and it's fly like an [A7](#). Along with the fingerprint sensor, the A7 is a major enticement for consumers to pick the 5s over the 5c.
- The A7 is advertised as providing twice the performance of the 5 (and 5c)'s A6 processor.
 - ① The switch to the A7 marks the first use of a 64-bit processor in a smartphone. Based on [AnandTech's review](#), it seems that the bulk of the A7's performance gains do not come from any advantages inherent to a 64-bit architecture, but rather from the switch from the outdated ARMv7 instruction set to the newly-designed [ARMv8](#).
 - ① The modern ARMv8 instruction set was designed for a 64-bit architecture. It does away with the legacy support of the last 20 years, which increases efficiency, improving performance without sacrificing battery life.
- We'll have to wait until we get inside the chip to find out who manufactured it.

Step 17



- Time for your close-up, selfie cam!
- A few screws hold the 1.2MP FaceTime camera in place.
- While the updated pixel size in the iSight camera may get a lot of attention, DIY paparazzi is what bling iPhones are all about.

Step 18



- The lower peripherals on the 5s look very similar to those in the 5, though the speaker assembly comes out with slightly more ease in this iteration.
- With the speaker assembly out, the headphone jack/microphone/Lightning connector assembly comes out easily.
- As with previous generations, you will have to replace multiple components at once, since the design is not modular.

Step 19



- We find another hardware update: the new dual flash.
- White and amber LEDs sit by the camera to balance the flash-induced ghostly tones of night-life photography.

Step 20



- iPhone 5s Repairability: **6 out of 10** (10 is easiest to repair)
- Just like in the iPhone 5, the display assembly is the first component out of the phone, simplifying screen replacements.
- The battery is still fairly easy to access, even though it's not technically "user replaceable."
- The fingerprint sensor cable could be easily ripped out of its socket if a user is not careful while opening the phone.
- The iPhone 5s still uses Pentalobe screws on the exterior, making the 5s difficult to open.
- The front glass, digitizer, and LCD are all one component, thereby increasing cost of repair.